

Central Wisconsin Airport

REQUEST FOR QUOTATIONS:

Elevator Testing, Inspections, Repair

QTY. - 4

Quotations will be received on or before December 20, 2016 by 2:00 P.M. in the office of the Central Wisconsin Airport Mosinee, Wisconsin 54455. Quotations will be opened in conference room B by the Airport Administrator or the designee, at 2:10 pm. If you have any questions please call the Director of Operations (715) 581-5377. It is not necessary to attend the meeting. Results will be available in the Airport Office after they have been compiled and evaluated.

GENERAL

The following specifications are intended to serve as guidelines to obtain quotations on elevator servicing, testing and repair of the equipment. It shall be the responsibility of the supplier to comply with these minimum specifications. The quotation information shall itemize in detail all standard and accessory tools or equipment that may be required to perform inspections that are not standard to comply with all inspections and certification requirements. The equipment and procedures used shall be of the latest standards, type and requirements, and shall be equal to or exceed the testing specifications, and shall conform to all safety and OSHA regulations.

The Airports decision to enter into a contract will be based on price, performance, availability of parts, service, and evaluation of references.

Central Wisconsin Airport reserves the right to reject any and all quotes, and to determine the choice of vendor in the best interests of the Airport after considering those criteria mentioned in the preceding paragraph.

TERMS AND CONDITIONS MUST BE PROVIDED

INTENT

It is the intent of this specification to describe to the best of our ability work, testing, and repair that is required to maintain the elevators.

TERM OF CONTRACT:

The term of this contract will be January 1, 2017- December 31, 2020

TYPE OF SERVICE

Central Wisconsin Airport requires the elevators to be operational during business activities, unless pre-arranged.

EQUIPMENT:

QTY:	MANUFACTURER:	EQUIPMENT DESCRIPTION:	OPENINGS:	CAPACITY:	SPEED:	INSTALL #
1	Schindler	Hydraulic Passenger	2F/0R	2100	100	H0350
1	Schindler	Hydraulic Passenger	2F/0R	2100	100	H5692
1	Westinghouse	Hydraulic Passenger	3F/1R	2500	100	S 18714
1	Schindler	Hydraulic Passenger	2F/0R	2000	100	S 20593

SPECIFICATIONS:

INSPECTION COVERAGE

- Periodically examine, lubricate, adjust, and as needed, recommend the repair or replacement of the Equipment
- Report to CWA any necessary repairs discovered by us in the performance of such inspections
- Provide CWA with a proposal for necessary repairs at our standard billing rates
- Perform all safety testing
- Perform all Tests and Inspections to remain Certified

TESTING OF SAFETY DEVICES

<u>Equipment</u>	<u>Test</u>	<u>Frequency</u>
Hydraulic	Pressure/Relief Valve	Annually

SERVICE REQUIREMENTS

- Must provide technical support and a service technician Within 48 hours of being called.
- Technical support hotline must be available for normal Business hours of 7:00 AM to 5:00 PM central.
Contact # _____
- Parts availability:
 - Common Parts – 1 to 3 day delivery
 - Non-Common Parts – 3 to 5 day delivery